	Application No.	Applicant(s)
Notice of Allowability	10/697,178	HORIUCHI ET AL.
	Examiner	Art Unit
	Hung Henry V Nguyen	2851
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the c (OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject t	orrespondence address plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to 6/8/04.		
2. The allowed claim(s) is/are <u>1-25</u> .		
3. The drawings filed on 29 October 2003 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of 		
Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in th		
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/03 Paper No./Mail Date 3/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit 	<u>_</u>	nent/Comment ent of Reasons for Allowance
of Biological Material	9.	HENRY HUNG NGUYEN PRIMARY EXAMINER

Application/Control Number: 10/697,178 Page 2

Art Unit: 2851

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

IN THE CLAIMS

2. This application is in condition for allowance except for the presence of claims 26 to 45 non-elected without traverse. Accordingly, claims 26-45 have been cancelled.

Reasons for Allowance

3. The following is an examiner's statement of reasons for allowance: Claims 1-25 have been found to be allowable since while the prior art teaches an image processing apparatus comprising an exposure unit for forming a latent image on a photosensitive material, a developing unit for developing the latent image, a measuring unit for measuring the density information of the photosensitive material developed by the developing unit and a control section for correction for a density of the photosensitive material in accordance with a predetermined density and the measured density information via controlling the at least one of the exposure unit and the developing unit. But the prior art either alone or in combination neither discloses nor make obvious the combination of an image processing apparatus and a corresponding method for adjusting a density of a diagnostic image formed on a film, or an image processing method for processing a diagnostic image, or a corresponding program for making a computer conduct an

Application/Control Number: 10/697,178 Page 3

Art Unit: 2851

image processing method, where a calibration section is provided for creating a lookup table for relating the diagnostic image data and amount of exposure so as to reproduce a density specified by the diagnostic image data, based on the test exposure data and a measured density of the developed image, along with a compensation section and a correction section having specific functions, and satisfying conditions, as recited in the instant claims of the present invention.

Prior Art Made of Record

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Endo et al (U.S.Pat. 4,624,547); Ohba (U.S.Pat. 6,278,477) and Fukuda et al (U.S.Pat. 6,624,876) Umeki et al (US 2003/0043257) disclose image forming apparatuses and corresponding control method, and have been cited for technical background.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung Henry V Nguyen whose telephone number is 571-272-2124. The examiner can normally be reached on Monday-Friday (First Friday off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Russ Adams can be reached on 571-272-2112. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hung Henry V Nguyen

Primary Examiner
Art Unit 2851

hvn 6/22/04